

Tabela 2

Kilometraż drogi	Opis	Rodzaj istn. nawierzchni	Cięcie	Powierzchnia do rozbiórki		Rury pod zjazdami	Szerokość zjazdów
			m	m2		m	m
40+648.40	zjazd	bitumiczny	23.50	116.40		20.00	13.50
40+748.90	zjazd	bitumiczny	14.10	52.10		12.00	5.50
40+791.30	zjazd	bitumiczny	14.00	43.00		9.00	4.00
40+832.20	zjazd	bitumiczny	15.00	49.70		28.00	5.00
40+920.20	zjazd	bitumiczny	14.50	47.50		64.00	5.00
40+976.60	zjazd	destrukt			48.10	9.00	5.00
41+042.10	zjazd	bitumiczny	14.00	48.50		9.00	5.00
41+066.15	zjazd	destrukt			48.30	9.00	5.00
41+147.90	zjazd	bitumiczny	14.00	49.50		9.00	5.00
41+194.40	zjazd	destrukt			50.30	9.00	5.00
41+233.60	zjazd	destrukt			51.40	9.00	5.00
41+291.90	zjazd	bitumiczny	14.50	52.50		9.00	5.00
41+330.80	zjazd	destrukt			61.10	9.00	6.00
41+364.70	zjazd	destrukt			52.90	9.00	5.00
41+417.00	zjazd	destrukt			53.20	9.00	4.00
41+534.20	zjazd	bitumiczny	14.30	51.30		9.00	4.50
41+559.80	zjazd	bitumiczny	14.50	55.80		9.00	5.00
41+664.70	zjazd	destrukt			55.00	9.00	5.00
41+690.70	zjazd	bitumiczny	14.50	50.10		9.00	4.50
41+732.40	zjazd	destrukt			72.00	9.00	7.00
			166.90	616.40	492.30	268.00	109.00